

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|---------------------|
| 1 | 2 | 10/032098 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:27 |
| 2 | 4183 | conductor near6 (electrical near circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:33 |
| 3 | 26 | ((conductor near6 (electrical near circuit)) and inspection near4 circuit | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:28 |
| 4 | 256 | ((conductor near6 (electrical near circuit)) and inspection | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:29 |
| 5 | 220 | ((conductor near6 (electrical near circuit)) and inspection) and first and second | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:29 |
| 6 | 114 | ((((conductor near6 (electrical near circuit)) and inspection) and first and second) and bottom and top | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:29 |
| 7 | 9 | ((((conductor near6 (electrical near circuit)) and inspection) and first and second) and (bottom and top) near surface | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:30 |
| 8 | 14 | inspect\$3 near15 (conductor near6 (electrical near circuit)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:37 |
| 9 | 1 | | USPAT | 2004/01/28 13:36 |
| 10 | 0 | inspect\$3 near15 ((bottom and top) near6 (electrical near circuit)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:37 |
| 11 | 4 | inspect\$3 near15 (dimension near6 (electrical near circuit)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:39 |
| 12 | 23 | "4677302" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 13:55 |
| 13 | 16 | "5298977" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:00 |
| 14 | 12 | "5408320" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:02 |

| | | | | |
|----|----|--------------------------|---|---------------------|
| 15 | 19 | "5272517" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:10 |
| 16 | 20 | "5166985" and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:17 |
| 17 | 8 | "5087121" and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:20 |
| 18 | 4 | "6448097" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 14:20 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|---------------------|
| 1 | 60 | electrical near circuit near inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:25 |
| 2 | 1 | | USPAT | 2004/01/28 17:23 |
| 3 | 1064 | inspect\$3 near9 (electr\$4 near circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:47 |
| 4 | 15 | (inspect\$3 near9 (electr\$4 near circuit)) and reflect\$4 and luminescen\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:30 |
| 5 | 84 | (inspect\$3 near9 (electr\$4 near circuit)) and (first and second) near3 inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:36 |
| 6 | 9 | ((inspect\$3 near9 (electr\$4 near circuit)) and (first and second) near3 inspect\$3) and analyzer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:31 |
| 7 | 34 | ((inspect\$3 near9 (electr\$4 near circuit)) and (first and second) near3 inspect\$3) and analyz\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:31 |
| 8 | 35 | (inspect\$3 near9 (electr\$4 near circuit)) and (first and second) near3 (sensors or detectors) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:39 |
| 9 | 3 | "6556293" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:39 |
| 18 | 150 | (inspect\$3 near9 (electr\$4 near circuit)) and conductor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:43 |
| 19 | 102 | ((inspect\$3 near9 (electr\$4 near circuit)) and conductor) and first and second | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:44 |
| 20 | 58 | inspect\$3 near9 ((conductor or solder\$3) near\$ (electr\$4 near circuit,) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:48 |
| 21 | 12 | (inspect\$3 near9 ((conductor or solder\$3) near\$ (electr\$4 near circuit))) and top and bottom | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 17:48 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 0 | "6014209" and luminescen\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:18 |
| 2 | 307 | luminescen\$2 near sensor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:18 |
| 3 | 42 | (luminescen\$2 near sensor) and 356/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:18 |
| 4 | 78 | (luminescen\$2 near sensor) and 250/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:19 |
| 5 | 100 | ((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:20 |
| 6 | 2 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 (conductor or eletronic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:22 |
| 7 | 0 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 (eletronic near part) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:21 |
| 8 | 0 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 (electronic near part) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:22 |
| 9 | 2 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 (conductor or electronic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:22 |
| 10 | 0 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 (electronic near circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:22 |
| 11 | 0 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 electronic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:22 |
| 12 | 4 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near9 PCB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:25 |
| 13 | 4 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near15 PCB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:28 |
| 14 | 0 | (((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 near15 solder\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:26 |

| | | | | |
|----|-----|--|---|---------------------|
| 15 | 13 | ((luminescen\$2 near sensor) and 356/\$.ccls.) or ((luminescen\$2 near sensor) and 250/\$.ccls.)) and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:28 |
| 17 | 5 | (luminescen\$2 near sensor) and inspect\$3 near15 PCB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:29 |
| 16 | 32 | (luminescen\$2 near sensor) and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:30 |
| 18 | 157 | bottom near4 luminescen\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:31 |
| 19 | 321 | top near4 reflectance | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:31 |
| 20 | 478 | (bottom near4 luminescen\$2) or (top near4 reflectance) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:31 |
| 21 | 0 | (bottom near4 luminescen\$2) and (top near4 reflectance) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:31 |
| 22 | 51 | ((bottom near4 luminescen\$2) or (top near4 reflectance)) and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:32 |
| 23 | 1 | ((bottom near4 luminescen\$2) or (top near4 reflectance)) and inspect\$3 near15 PCB | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:32 |
| 24 | 0 | ((bottom near4 luminescen\$2) or (top near4 reflectance)) and inspect\$3 near15 conductor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:33 |
| 25 | 2 | ((bottom near4 luminescen\$2) or (top near4 reflectance)) and inspect\$3 near15 electronic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:41 |
| 26 | 96 | "4983817" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/28 19:41 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 4 | "10032098" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:36 |
| 2 | 4 | 09/030682 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:37 |
| 3 | 2 | 09/939682 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:38 |
| 4 | 2007 | (top near surface) near9 electronic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:39 |
| 5 | 1786 | (bottom near surface) near9 electronic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:39 |
| 6 | 508 | ((top near surface) near9 electronic) and ((bottom near surface) near9 electronic) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:39 |
| 7 | 38 | ((top near surface) near9 electronic) and ((bottom near surface) near9 electronic)) and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:42 |
| 8 | 4166 | luminescen\$2 near6 substrate | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:43 |
| 9 | 601 | (luminescen\$2 near6 substrate) and inspect\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:43 |
| 10 | 18 | ((luminescen\$2 near6 substrate) and inspect\$3) and reflectan\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/30 14:43 |